



Moto 1 - 2T

This product is not considered Hazardous according to criteria of "Worksafe Australia"

PRODUCT TYPE	Engine Lubricating Oil	
CHEMICAL DESCRIPTION	Petroleum derived Lubricating Oil	
INGREDIENTS	Refined mineral and chemical additives – not hazardous	
PHYSICAL DATA	Flash Point C Boiling Point Solubility in water	Typical > 200 C >250°C Negligible

FIRE AND EXPLOSION HAZARD DATA:

Flash point over 170 C. Will not burn unless heated to high temperatures.

Extinguish fires with CO₂, Dry Chemical, Foam or BCF.

Fire fighters should wear self-contained breathing apparatus if fire is in poorly ventilated area and is too large for hand-held extinguisher.

HEALTH HAZARD DATA

EYE CONTACT:	May cause mild irritation
SKIN CONTACT:	May cause mild irritation
INHALATION:	May cause mild throat or nose irritation if inhaled at elevated temperatures
SWALLOWED:	May cause mild gastric irritation

EMERGENCY AND FIRST AID PROCEDURES:

EYE CONTACT:	Flush with water for 15-20 minutes
SKIN CONTACT:	Wash with soap and water
INHALATION:	Remove to fresh air
SWALLOWING:	Do not induce vomiting

IN ALL CASES SEEK MEDICAL ATTENTION IF DISCOMFORT PERSISTS

REACTIVITY DATA:	INCOMPATIBILITIES: Strong oxidisers Hazardous decomposition product Product is considered unstable
-------------------------	---

SPILL OR LEAK PROCEDURE	Contain spill and shut off all sources of possible ignition Absorb on fire retardant material, sand or earth. Follow State or Local Authority regulations for disposal.
--------------------------------	---

STORAGE AND HANDLING PROCEDURE

~~Not defined as Dangerous Goods for transport by road or rail.~~

Store away from heat, oxidizing agents, foodstuffs and clothing. No health risks are expected as a result of normal handling.

REFERENCE: _____	FOR INFORMATION CONTACT:
ISSUE DATE: Feb 2021	Synforce (Aust.) Pty Ltd, P.O. Box 7181, Urangan, Hervey Bay, QLD. 4655 Telephone 07-41253531 Fax 07-41253521

Where the information provided in this bulletin indicates a potential hazard, adequate warning should be given to all

